

## **SF Product Index**

### **Page Number**

<b>2.</b>	<b>SF IL</b>
<b>3.</b>	<b>SF ILS</b>
<b>4.</b>	<b>SF QC</b>
<b>5.</b>	<b>SF Nova</b>
<b>6.</b>	<b>SF Nova</b>
<b>7.</b>	<b>SF Nova</b>
<b>8.</b>	<b>SF SMW 127-355</b>
<b>9.</b>	<b>SF SMW 400-600</b>
<b>10-12.</b>	<b>SF Supra</b>

.

# IL - GAS VENT

## Twin Wall Gas Vent System BS EN 1856-1 T250 N1 D Vm L11030 O(50)

DESCRIPTION	CODE Vertical	100 mm 4"	125 mm 5"	150 mm 6"
<b>STARTING COMPONENTS</b>				
Draughthood Connector	04293	6.81	7.69	8.35
Disconnecter Section	04208	50.77	51.43	52.28
Connector 3"-4"	04283	6.85	-	-
Adaptor to Flue Liner	04716	16.52	16.90	17.25
Flue Liner to IL Adaptor	04210	16.52	16.90	17.25
<b>LENGTHS</b>				
Length 1524 mm (60")	04201	43.71	53.76	57.74
Length 914 mm (36")	04203	30.28	35.25	40.42
Length 457 mm (18")	04211	16.91	19.04	23.58
Length 305 mm (12")	04212	15.32	17.97	21.30
Length 152 mm (6")	04213	10.09	12.41	13.45
Adjustable Length - 305 mm (12")	04215	19.37	21.76	27.41
Adjustable Length - 457 mm (18")	04216	26.09	31.67	35.21
<b>TEES/ELBOWS</b>				
Tee 135° (Inc. Tee Cap)	04244	61.37	65.87	73.72
Equal Tee 90° (Inc. Tee Cap)	04243	49.07	52.93	55.09
Reducing Tee (Please supply details)	04258	Price on Application		
Tee Cap	04053	4.53	4.92	5.45
Adjustable Elbow 0° - 90°	04221	22.11	26.10	32.73
<b>SUPPORT COMPONENTS</b>				
Support Plate	04032	11.96	13.14	13.60
Wall Band (Internal)	04288	10.84	11.52	14.61
Stand-Off Wall Bracket	04298	10.35	11.18	12.35
Guy Wire Bracket	04092	9.12	9.33	9.86
Firestop Spacer	04087	4.70	4.70	5.36
<b>TERMINALS &amp; FLASHINGS</b>				
Ridge Tile Adaptor-Fabricated Aluminium	04018	25.77	28.17	-
Gas Vent Terminal	04073	25.24	27.70	35.54
<b>Horizontal Code</b>				
		04	05	06
<b>Flat Flashing</b>				
Flat Flashing	700000	25.22	25.51	27.58
Adjustable Flashing 5° - 30°	700530	25.22	25.51	27.58
Adjustable Flashing 32° - 45°	703245	30.66	31.23	33.59
Storm Collar(Supplied with Sealant)	701234	10.64	10.64	11.65
<b>Horizontal Code</b>				
		02	03	08
<b>British Gas Heat Shield</b>				
British Gas Heat Shield	3192500		11.94	
Seldek Flashing No.1(to suit 55mm - 150mm external diameter)	4901015		33.95	
Seldek Flashing No.2(to suit 110mm - 200mm external diameter)	4901020		47.30	
Seldek Flashing No.3(to suit 160mm - 300mm external diameter)	4901030		88.55	
<b>IL GAS VENT ANCILLARIES(Fitted with 125mm IL Connection unless specified)</b>				
Flue Gas Collector(Quickfit Spigot-125mm Flex)	04057	-	66.78	-
Gas Flue Box - Freestanding	04048	-	130.98	-
Gas Flue Box - Recessed	04049	-	130.98	-
Gas Flue Box - Back Boiler	04051	-	91.90	-
Gas Flue Box Notts Special	04058	-	125.00	-
Gas Flue Box - LFE 125	04059	-	226.15	-
<b>INCREASERS</b>				
Increaser - 4" - 5"	0428101	24.10	-	-
Increaser - 4" - 6"	0428102	27.75	-	-
Increaser - 5" - 6"	0428115	-	25.55	-
<b>Horizontal Code</b>				
		04	05	06

Please give Product Codes when ordering.To arrive at Product Code combine Vertical Code with Horizontal Code. e.g. Length 914mm, 125mm Diameter, Vertical Code 04203, Horizontal Code 05, Product Code 0420305



Please refer to the "Branches" page of the [flues-chimneys.com](http://flues-chimneys.com) web site to telephone your nearest MMF branch.

[Click Here](#)



**TWIN WALL, INSULATED, ZALUTITE CASE & STAINLESS STEEL LINER  
RESIDENTIAL GAS & KEROSENE FLUE SYSTEM  
BS EN 1856-1 T250 N1 D Vm L50055 O(50)**

DESCRIPTION	CODE Vertical	100 mm 4"	125 mm 5"	150 mm 6"
-------------	------------------	--------------	--------------	--------------

**STARTING COMPONENTS**

Appliance Connector	<b>09093</b>	12.09	13.37	14.31
Increaser Appliance Connector(100mm-125mm)	<b>09094</b>	-	23.33	-
ILS to Flue Liner Adaptor	<b>09020</b>	21.47	21.98	22.43
Flue Liner to ILS Adaptor	<b>09010</b>	21.47	21.98	22.43

**LENGTHS**

Length 914 mm (36")	<b>09003</b>	96.04	98.78	100.84
Length 457 mm (18")	<b>09011</b>	50.77	52.13	57.57
Length 305 mm (12")	<b>09012</b>	37.05	40.48	42.54
Length 152 mm (6")	<b>09013</b>	32.93	36.36	38.42
Adjustable Length - 305 mm (12")	<b>09015</b>	34.22	37.61	43.90

**TEES/ELBOWS**

Tee 135° (Not inc. Tee Cap)	<b>09044</b>	98.78	113.88	128.97
Equal Tee 90° (Not inc. Tee Cap)	<b>09043</b>	69.98	72.72	86.45
Tee Cap	<b>09053</b>	17.84	19.20	21.95
Elbow 30°	<b>09025</b>	53.52	60.37	67.23
Elbow 45°	<b>09024</b>	53.52	60.37	67.23
Condensate Collector	<b>09032</b>	30.61	31.48	39.15

**SUPPORT COMPONENTS**

Support Plate	<b>04032</b>	11.96	13.14	13.60
Wall Band	<b>09088</b>	11.38	12.09	15.34
Stand-Off Wall Bracket	<b>04298</b>	10.35	11.18	12.35
Wall Support	<b>09033</b>	54.88	57.63	63.80
Guy Wire Bracket	<b>04092</b>	9.12	9.33	9.86
Firestop Spacer	<b>04087</b>	4.70	4.70	5.36

**TERMINALS & FLASHINGS**

Ridge Tile Adaptor- S/S	<b>09018</b>	76.14	86.45	-
Ridge Tile Adaptor Extension Box- S/S	<b>09019</b>	-	38.82	-
Raincap (with Mesh)	<b>09074</b>	43.90	46.65	54.19

Horizontal Code		04	05	06
-----------------	--	----	----	----

Flat Flashing	<b>700000</b>	25.22	25.51	27.58
Adjustable Flashing 5° - 30°	<b>700530</b>	25.22	25.51	27.58
Adjustable Flashing 32° - 45°	<b>703245</b>	30.66	31.23	33.59
Storm Collar(Supplied with Sealant)	<b>701234</b>	10.64	10.64	11.65
Horizontal Code		<b>02</b>	<b>03</b>	<b>08</b>

Seldek Flashing No.1(to suit 55mm - 150mm external diameter)	<b>4901015</b>	33.95	33.95	33.95
Seldek Flashing No.2(to suit 110mm - 200mm external diameter)	<b>4901020</b>	47.30	47.30	47.30
Seldek Flashing No.3(to suit 160mm - 300mm external diameter)	<b>4901030</b>	88.55	88.55	88.55

Please give Product Codes when ordering. To arrive at Product Code, combine Vertical Code with Horizontal Code. e.g. Length 914mm,125mm Diameter, Vertical Code 09003, Horizontal Code 05, Product Code 0900305.



Please refer to the "Branches" page of the flues-chimneys.com web site to telephone your nearest MMF branch.  
[Click Here](#)



TWIN WALL, AIR GAP INSULATED, ZALUTITE & ALUMINIUM  
COMMERCIAL GAS VENT SYSTEM  
BS EN 1856-1 T250 N1 D Vm L11038 O(50)

DESCRIPTION	CODE Vertical	178mm 7"	203mm 8"	254mm 10"	305mm 12"	355mm 14"	400mm 16"	450mm 18"	500mm 20"	550mm 22"	600mm 24"
<b>STARTING COMPONENTS</b>											
Draughthood Connector	08293	10.79	15.54	19.94	23.11	33.48	56.46	60.26	64.00	74.43	89.46
Increaser (to next larger size) Special Increasers on request	-	30.11	36.96	57.93	129.92	168.01	198.58	227.28	236.96	241.89	-
Adaptor to Flexible	08217	50.51	50.78	58.40	66.06	80.62	100.75	129.18	157.52	165.39	-
<b>LENGTHS</b>											
Locking Band	08286	3.00	3.42	3.61	6.26	8.14	13.75	15.18	16.61	17.91	19.34
Length 1000 mm (40")	08401	52.05	63.90	105.41	129.92	155.96	173.76	214.17	276.16	291.96	313.38
Length 533 mm (21")	08451	37.58	45.82	64.51	78.00	99.04	112.33	151.75	202.75	212.42	222.36
Adjustable Length - 75 mm to 400 mm	08216	40.76	43.71	73.87	80.86	105.48	204.72	233.72	259.08	275.36	296.58
<b>TEES/ELBOWS</b>											
Tee 90° (Not inc. Locking plug)	08243	61.15	68.32	87.24	104.78	129.13	266.61	288.91	309.39	339.87	374.03
Tee 135° (Not inc. Locking plug)	08244	96.36	108.41	138.36	166.11	224.26	416.40	449.58	483.00	529.91	581.11
Reducing Tee (made to detailed order)		Prices on Application									
Modular Tee (made to detailed order)		Prices on Application									
Locking Plug	01191	33.88	-	-	-	-	-	-	-	-	-
Locking Plug	02191	-	35.34	38.78	39.99	46.63	-	-	-	-	-
Locking Plug	24145	-	-	-	-	-	104.78	109.22	112.61	114.65	122.04
Condensate Collector	08532	45.80	47.71	50.40	56.70	61.95	83.44	85.90	94.78	97.45	99.55
90° Fixed Elbow	08221	61.26	66.17	93.79	109.96	-	-	-	-	-	-
45° Fixed Elbow	08222	35.70	38.51	55.06	63.74	83.40	131.32	145.81	159.41	167.84	184.69
30° Fixed Elbow	08223	35.70	38.51	55.06	63.74	83.40	131.32	145.81	159.41	167.84	184.69
<b>SUPPORT COMPONENTS</b>											
Support Plate	08032	14.03	18.86	20.59	25.52	34.47	83.85	86.11	95.95	102.58	102.63
Wall Support	08062	39.25	41.47	49.29	60.27	78.37	105.33	122.68	142.18	163.44	187.38
Firestop Spacer	08087	7.39	7.39	10.36	10.36	13.94	44.43	46.77	48.66	76.98	76.98
<b>Horizontal Code</b>											
		07	08	10	12	14	16	18	20	22	24
<b>UNIVERSAL WALL BANDS</b>											
Internal (Galvanised Steel)	3116	22.49	22.81	23.34	24.22	25.10	POA	POA	POA	POA	POA
External (Stainless Steel)	3115	27.79	28.47	31.94	33.95	35.96	POA	POA	POA	POA	POA
<b>Horizontal Code</b>											
		234	255	305	355	405	455	505	555	605	655
<b>TERMINALS &amp; FLASHINGS</b>											
Gas Vent Terminal	01524	64.51	-	-	-	-	-	-	-	-	-
Gas Vent Terminal	02524	-	75.97	98.04	123.54	144.15	-	-	-	-	-
Top Stub	08073	46.46	56.44	78.79	96.07	126.38	156.68	186.99	233.62	280.49	336.59
Rain Cap	08074	-	-	-	-	-	139.84	150.33	154.17	171.57	-
<b>Horizontal Code</b>											
		07	08	10	12	14	16	18	20	22	24
<b>Flat Flashing</b>											
Flat Flashing	700000	40.39	42.91	58.86	62.79	67.53	127.48	135.75	148.06	158.26	165.06
Adjustable Flashing 5° - 30°	700530	40.39	42.91	58.86	62.79	97.44	135.12	137.85	158.06	171.87	178.67
Adjustable Flashing 32° - 45°	703245	55.53	58.06	72.34	83.30	102.10	150.28	158.26	183.65	204.19	236.44
Storm Collar(Supplied with Sealant)	701234	20.83	22.09	25.24	28.27	29.80	92.33	95.73	99.47	116.56	130.49
<b>Horizontal Code</b>											
		10	11	12	13	14	15	16	17	18	19
<b>Seldek Flashing</b>											
Seldek Flashing No.1(to suit 55mm - 150mm external diameter)	4901015			32.33							
Seldek Flashing No.2(to suit 110mm - 200mm external diameter)	4901020			45.05							
Seldek Flashing No.3(to suit 160mm - 300mm external diameter)	4901030			84.33							
Seldek Flashing No.4(to suit 300mm - 450mm external diameter)	4901045			131.68							

**Note: A Locking band MUST be ordered separately for each joint**

Please give Product Codes when ordering. To arrive at Product Code combine Vertical Code with Horizontal Code  
eg. Length 1000mm (40"), Size 355mm (14"), Vertical Code 08401, Horizontal Code 14. PRODUCT CODE 0840114



Please refer to the "Branches" page of the flues-chimneys.com  
web site to telephone your nearest MMF branch.  
[Click Here](#)



# NOVA SM

TWIN WALL, INSULATED, STAINLESS STEEL  
MULTI-FUEL CHIMNEY SYSTEM (Including Condensing appliances)  
BS EN 1856-1 T450 N1 D V2 L50050 G(50)  
BS EN 1856-1 T200 P1 W V2 L50050 O(50) (Seals Required)

DESCRIPTION	CODE Vertical	100mm 4"	130mm 5"	150mm 6"	180mm 7"	200mm 8"	250mm 10"	304mm 12"	355mm 14"
<b>STARTING COMPONENTS</b>									
Appliance Adaptor	45785	32.55	35.93	38.03	42.47	45.94	49.62	57.09	59.07
Appliance Adaptor (Imperial)	45784	-	28.10	-	35.27	-	-	-	-
80mm to 100ID Appliance Adaptor	45794	70.40	-	-	-	-	-	-	-
130mm to 150ID Appliance Adaptor	45794	-	73.03	-	-	-	-	-	-
Adaptor to Flexible	457501	53.55	56.13	61.83	70.62	78.62	102.04	132.83	143.25
Nova to Supra Adaptor	45797	42.13	47.61	51.15	57.91	61.91	67.32	75.93	82.03
Supra / Nova Adaptor	45796	39.61	43.08	47.17	54.02	59.55	60.35	63.32	72.07
Nova to SM25 / SMW Adaptor	45747	-	73.72	79.59	86.29	92.43	106.23	107.83	125.80
SM250 / SMW - Nova Adaptor	45748	-	73.72	79.59	86.29	92.43	106.23	107.83	125.80
<b>LENGTHS</b>									
Length 1000 mm	45750	125.60	143.71	157.51	177.41	196.21	220.93	273.89	294.20
Length 500 mm	45751	96.36	107.74	113.28	130.18	140.24	151.76	174.49	202.33
Length 250 mm	45719	70.47	78.03	79.14	92.05	99.37	103.00	110.72	120.79
Length 120 mm	45753	58.53	62.40	66.13	70.72	78.34	79.31	84.51	88.44
Starter Length 304 BA	45704	-	147.71	160.52	181.76	184.00	-	-	-
Starter Length Black (xx=Dia. Code)	45704XXNB	-	151.1	163.95	185.19	187.43	-	-	-
Starter Length White (xx=Dia. Code)	45704XXNW	-	151.1	163.95	185.19	187.43	-	-	-
Adjustable Length - Long (For P1/W 100ID - 250ID Add 2off 40063XX Seals.For 300ID - 350ID Add 1off 40064XX & 1off 40065XX Seal)	45746	121.07	125.59	131.95	142.19	156.16	182.10	284.89	302.29
Adjustable Length - Short (For P1/W 100ID - 250ID Add 2off 40063XX Seals.For 300ID - 350ID Add 1off 40064XX & 1off 40065XX Seal)	45766	118.13	123.65	125.84	136.72	150.49	170.47	264.61	264.66
Inspection Length -Standard (For N1/D Applications)	45762	-	480.80	499.27	508.42	529.65	541.83	666.78	690.86
Inspection Length -Metu (For P1/W Applications)	45763	288.75	301.50	302.27	314.25	323.31	369.69	398.87	415.06
Probe Length	45767	124.52	128.25	136.39	158.84	161.58	163.73	182.40	192.39
<b>TEES / ELBOWS / COMPONENTS</b>									
90° Tee	45730	181.26	182.48	197.31	223.03	243.18	305.79	547.76	579.60
95° Tee	45764	189.11	195.40	213.11	238.91	263.10	315.88	557.44	592.11
135° Tee	45765	243.20	304.07	321.90	377.04	405.26	471.84	645.72	686.43
Locking Plug	45791	77.77	79.74	83.60	88.02	96.24	108.37	112.72	123.80
Condensate Collector (Drain Tee Cap)	45769	86.50	90.09	94.07	98.38	102.74	120.54	125.80	134.72
Duct Drain	45768	150.58	158.19	167.19	186.51	196.45	221.54	257.25	240.91
Elbow 15°	45754	106.40	109.26	117.07	123.62	135.95	144.95	210.64	221.96
Elbow 30°	45755	106.40	109.26	117.07	123.62	135.95	144.95	210.64	221.96
Elbow 40°	45756	106.40	109.26	117.07	123.62	135.95	144.95	210.64	221.96
Elbow 45°	45757	106.40	109.26	117.07	123.62	135.95	144.95	210.64	221.96
Elbow 85°	45758	180.50	184.26	191.13	203.80	224.28	257.70	279.74	303.14
Elbow 90°	45759	179.06	181.75	189.22	204.71	216.91	253.67	273.15	294.77
<b>SUPPORT &amp; BRACING COMPONENTS</b>									
Support Length / Guy Attachment Length	45788	106.87	112.09	132.85	134.17	151.02	164.82	208.13	218.49
Anchor / Lintel / Pre-Cast Chamber Support Plate c/w S/W Tail	45775	67.27	73.49	90.57	96.99	107.77	130.58	168.87	168.39
<b>HORIZONTAL CODE</b>									
Locking Band	45786	7.55	7.95	7.82	8.15	8.48	8.94	9.21	9.87
Wall Support Bracket S/S (Support Length Included)	45723	156.01	167.30	192.74	208.09	226.57	233.70	242.25	261.72
Wall Support Bracket Galv (Support Length Included)	45722	114.36	121.54	137.04	141.50	153.86	173.08	205.55	218.03
Telescopic Floor Support S/S (Support Length Included)	31011	Price on Application							
Telescopic Floor Support Galv (Support Length Included)	31021	Price on Application							
Ceiling Support (Gas / Oil <250°C)	45027	30.11	32.03	35.64	42.63	64.20	73.24	83.69	99.75
Firestop Spacer (Gas / Oil <250°C)	45087	5.36	6.25	6.95	7.85	9.31	9.59	11.56	21.01
<b>HORIZONTAL CODE</b>									
Ventilated Firestop (Solid Fuel / Oil > 250°C)	55083	04	05	06	07	08	10	12	14
Ventilated Ceiling Support (Solid Fuel / Oil > 250°C) S/S	70727	98.54	106.49	112.25	123.75	125.23	NA	NA	NA
Ventilated Ceiling Support (Solid Fuel / Oil > 250°C) Black	70727XXZB	98.54	106.49	112.25	123.75	125.23	NA	NA	NA
Ventilated Ceiling Support (Solid Fuel / Oil > 250°C) White	70727XXZW	98.54	106.49	112.25	123.75	125.23	NA	NA	NA
Intumescent Sealant (310ml) (Solid Fuel / Oil > 250°C)	0199900	10.69							

**Note: A Locking band is supplied with all components where necessary**  
Please give Product Codes when ordering. To arrive at Product Code combine Vertical Code with Horizontal Code  
eg. Length 1000mm, size 150mm, Vertical Code 45750, Horizontal Code 06N, PRODUCT CODE 4575006N

# NOVA SM

TWIN WALL, INSULATED, STAINLESS STEEL  
MULTI-FUEL CHIMNEY SYSTEM (Including Condensing appliances)  
BS EN 1856-1 T450 N1 D V2 L50050 G(50)  
BS EN 1856-1 T200 P1 W V2 L50050 O(50) (Seals Required)

HORIZONTAL CODE	10	13	15	18	20				
Universal Support Plate (SS) (Support Length Included)	3119	140.38	151.67	174.43	183.18	205.08	228.07	275.04	291.67
Universal Support Plate (Galv) (Support Length Included)	3110	119.92	131.51	154.70	158.14	177.49	178.79	239.40	254.47

HORIZONTAL CODE	04154	05184	06204	07234	08254	10304	12354	14404	
Wall Band (Galv) - Internal	3116	21.53	21.90	22.17	22.49	22.81	23.34	24.22	25.10
Wall Band (S/S) - External	3115	25.51	26.39	26.99	27.79	28.47	31.94	33.95	35.96

HORIZONTAL CODE	154	185	205	234	255	305	355	405	
Wall Band Extension Brackets 50mm - 100mm (S/S)	3119	15.32	15.32	15.32	15.32	15.32	21.23	30.27	30.27
Wall Band Extension Brackets 50mm - 100mm (Galv)	3120	14.05	14.05	14.05	14.05	14.05	17.59	26.99	26.99
HORIZONTAL CODE	136	136	136	136	136	180	245	245	

Roof Support	0102900	57.36
--------------	---------	-------

#### TERMINALS

Top Stub	45708	46.18	47.80	49.79	52.04	63.36	69.08	85.73	99.99
Top Stub c/w Mesh	45707	91.30	96.68	110.25	113.83	118.23	138.67	225.09	261.88
Round Top	45731	49.43	85.27	90.95	98.64	109.70	118.10	126.10	142.00
Rain Cap	45773	39.38	40.80	42.56	47.44	58.67	80.33	108.82	141.40
Storm Cowl	45787	69.72	77.18	84.27	85.27	90.51	101.83	-	-
Storm Cowl with Mesh	45789	71.04	79.61	87.81	89.93	96.65	111.04	-	-
Gas Terminal	45524	77.71	78.38	85.13	100.76	106.72	139.71	154.41	185.54
Trim Collar (S/S)	45832	20.63	21.96	23.45	25.10	26.79	31.56	35.53	40.30

#### TRIM / FINISHING COLLARS

Std Horizontal Wall Trim Collar (S/S)	45832	20.63	21.96	23.45	25.10	26.79	31.56	35.53	40.30
---------------------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------

HORIZONTAL CODE	04	05	06	07	08	10	12	14
-----------------	----	----	----	----	----	----	----	----

30° - 40° Adjustable Trim Plate	55702	-	9.50	10.80	11.20	12.05	-	-	-
40° - 50° Adjustable Trim Plate	55703	-	10.20	11.85	12.40	13.12	-	-	-

HORIZONTAL CODE	10N	13N	15N	18N	20N	25N	30N	35N
-----------------	-----	-----	-----	-----	-----	-----	-----	-----

#### FLASHINGS

Flat Flashing	700000	32.84	33.98	35.89	40.39	42.91	58.86	62.79	67.53
Adjustable Flashing 5° - 30°	700530	32.84	33.98	35.89	40.39	42.91	58.86	62.79	97.44
Adjustable Flashing 32° - 45°	703245	39.13	40.39	42.91	55.53	58.06	72.34	83.30	102.10
Storm Collar(Supplied with Sealant)	701234	16.41	17.04	18.22	20.83	22.09	25.24	28.27	29.80

HORIZONTAL CODE	06	07	09	10	11	12	13	14
-----------------	----	----	----	----	----	----	----	----

Seldek Flashing No.1 (to suit 55mm - 150mm external diameter)	4901015	33.95
Seldek Flashing No.2 (to suit 110mm - 200mm external diameter)	4901020	47.30
Seldek Flashing No.3 (to suit 160mm - 300mm external diameter)	4901030	88.54
Seldek Flashing No.4 (to suit 300mm - 450mm external diameter)	4901045	138.26

#### SEALS

Joint Sealing Ring (For P1 / W Applications)	40063	1.68	1.98	2.18	2.44	2.62	3.08	-	-
Joint Sealing Ring (For P1 / W Applications 300ID & 350ID)	40064	-	-	-	-	-	-	3.29	3.61
Adjustable Length Seal (For 300ID and 350ID P1/W Applications)	40065	-	-	-	-	-	-	19.32	20.31

HORIZONTAL CODE	10	13	15	18	20	25	30	35
-----------------	----	----	----	----	----	----	----	----

Seal Lubricant Compound	4007500	10.50
-------------------------	---------	-------

#### ANCILLARIES

Draught Regulator (Req. 45785XXN Adaptor)	31920	165.55	175.17	185.94	194.32	207.87	251.48	258.27	299.98
---	-------	--------	--------	--------	--------	--------	--------	--------	--------

HORIZONTAL CODE	04	05	06	07	08	10	12	14
-----------------	----	----	----	----	----	----	----	----

#### Misc.Fittings

Eccentric Increaser 150ID - 200ID	4570606N	211.15
Eccentric Increaser 180ID - 250ID	4570607N	222.69
Eccentric Increaser 200ID - 250ID	4570608N	237.03
Eccentric Increaser 200ID - 304ID	4570708N	271.92
Eccentric Increaser 250ID - 304ID	4570610N	291.15
Eccentric Increaser 250ID - 355ID	4570710N	324.40

**Note: A Locking band is supplied with all components where necessary**  
Please give Product Codes when ordering. To arrive at Product Code combine Vertical Code with Horizontal Code eg. Length 1000mm, size 150mm, Vertical Code 45750, Horizontal Code 06N, PRODUCT CODE 4575006N

# NOVA SM

TWIN WALL, INSULATED, STAINLESS STEEL  
MULTI-FUEL CHIMNEY SYSTEM (Including Condensing appliances)  
BS EN 1856-1 T450 N1 D V2 L50050 G(50)  
BS EN 1856-1 T200 P1 W V2 L50050 Q(50) (Seals Required)

Reducing Tee (90° & 95°)	90° Tee		95° Tee	
130ID - 100ID Reducing Tee	4559001	280.17	4559501	280.17
150ID - 100ID Reducing Tee	4559002	297.72	4559502	297.72
150ID - 130ID Reducing Tee	4559003	308.37	4559503	308.37
180ID - 100ID Reducing Tee	4559009	319.56	4559509	319.56
180ID - 130ID Reducing Tee	4559011	329.52	4559511	329.52
180ID - 150ID Reducing Tee	4559013	337.80	4559513	337.80
200ID - 100ID Reducing Tee	4559015	340.32	4559515	340.32
200ID - 130ID Reducing Tee	4559017	350.47	4559517	350.47
200ID - 150ID Reducing Tee	4559019	358.76	4559519	358.76
200ID - 180ID Reducing Tee	4559021	364.38	4559521	364.38
250ID - 100ID Reducing Tee	4559023	364.77	4559523	364.77
250ID - 130ID Reducing Tee	4559025	374.93	4559525	374.93
250ID - 150ID Reducing Tee	4559026	383.16	4559526	383.16
250ID - 180ID Reducing Tee	4559027	391.15	4559527	391.15
250ID - 200ID Reducing Tee	4559028	400.56	4559528	400.56
304ID - 100ID Reducing Tee	4559029	406.08	4559529	406.08
304ID - 130ID Reducing Tee	4559030	416.19	4559530	416.19
304ID - 150ID Reducing Tee	4559031	424.42	4559531	424.42
304ID - 180ID Reducing Tee	4559032	432.41	4559532	432.41
304ID - 200ID Reducing Tee	4559033	464.50	4559533	464.50
304ID - 250ID Reducing Tee	4559034	490.39	4559534	490.39
355ID - 100ID Reducing Tee	4559035	436.85	4559535	436.85
355ID - 130ID Reducing Tee	4559036	447.00	4559536	447.00
355ID - 150ID Reducing Tee	4559037	455.29	4559537	455.29
355ID - 180ID Reducing Tee	4559038	463.22	4559538	463.22
355ID - 200ID Reducing Tee	4559039	472.49	4559539	472.49
355ID - 250ID Reducing Tee	4559040	521.20	4559540	521.20
355ID - 304ID Reducing Tee	4559041	544.42	4559541	544.42

**Note: A Locking band is supplied with all components where necessary**

Please give Product Codes when ordering. To arrive at Product Code combine Vertical Code with Horizontal Code

eg. Length 1000mm, size 150mm, Vertical Code 45750, Horizontal Code 06N, PRODUCT CODE 4575006N



0086 - CPD - 496040

Every effort is made to ensure accuracy at time of going to press, however as part of our continual policy of continual product improvement we reserve the right to alter specifications without prior notice.



Please refer to the "Branches" page of the [flues-chimneys.com](http://flues-chimneys.com)  
web site to telephone your nearest MMF branch.

[Click Here](#)



316 INNER, MINERAL WOOL, 304 OUTER  
MULTI-FUEL CHIMNEY SYSTEM FOR GAS, OIL AND SOLID FUEL  
BS EN 1856-1: T450 N1 D Vm L50040 G(50)

DESCRIPTION	CODE Vertical	127 mm 5"	152 mm 6"	178 mm 7"	CODE Vertical	203 mm 8"	254mm 10"	304 mm 12"	355 mm 14"
<b>STARTING COMPONENTS</b>									
Adaptor	01194	18.83	20.59	23.99	02194	27.32	32.70	36.13	43.88
Adaptor to Cast Iron Pipe	01195	20.59	22.08	25.78	02195	30.78	34.70	40.99	48.28
102 mm Adaptor (4") cast iron to 127 mm	01297	31.80	-	-		-	-	-	-
127ID - 150ID Increasing Adaptor	01512	-	28.31	-		-	-	-	-
SM/SMW to Flexible Liner Adaptor	01501	31.62	34.07	38.59	02501	43.31	49.10	59.86	71.37
175mm LFE Gas Flue Box	07050	-	-	245.25		-	-	-	-
Mounting Plate (for precast chamber)	01527	40.84	44.03	48.73	02527	53.37	58.08	61.29	85.72
<b>LENGTHS</b>									
Locking Band	01086	11.97	12.53	13.07	02086	13.46	14.18	18.26	27.97
Starter Length (S/S)	01404	104.98	115.98	135.05	02404	155.26	-	-	-
Starter Length (Black - add B to the end of par no.)	01404	112.55	120.21	149.98	02404	161.62	-	-	-
Length 1500mm	01498	213.81	265.07	283.45	02498	309.06	-	-	-
Length 1000 mm	01409	170.04	190.71	216.19	02409	257.83	323.49	371.29	393.72
Length 500 mm	01410	96.77	108.49	122.95	02410	145.11	179.00	212.93	231.77
Length 300 mm	01411	80.92	92.22	105.34	02411	122.05	143.39	170.54	179.33
Length 120 mm	01106	49.10	55.62	65.72	02106	75.86	96.11	119.49	168.77
Adjustable Length - Long	01412	101.60	113.91	129.09	02412	152.36	187.94	223.58	243.36
Adjustable Length - Intermediate	01440	84.97	96.84	110.60	02440	128.16	150.55	179.08	188.31
Inspection Length - Short Door	01418	234.79	242.95	255.91	02418	271.29	311.88	341.25	380.64
<b>TEES/ELBOWS</b>									
90° Tee (Not inc. Locking Plug)	01143	170.59	201.22	219.61	02143	264.39	280.68	355.13	447.30
135° Tee (Not inc. Locking Plug)	01413	235.23	255.23	278.78	02413	366.48	444.70	537.15	655.36
Modular Tee	-	-	-	-	Price on Application				
Wall Sleeve	01071	31.66	42.47	44.50	02071	50.01	55.82	65.05	72.24
Locking Plug	01191	28.02	29.93	33.88	02191	35.34	38.78	39.99	46.63
Condensate Collector (Drain Tee Cap)	01532	40.26	43.11	47.55	02532	49.52	54.94	61.80	67.53
Elbow 15° (Not inc. Locking Band)	01314	111.05	125.73	135.29	02314	144.58	155.83	194.03	243.32
Elbow 30° (Not inc. Locking Band)	01323	111.05	125.73	135.29	02323	144.58	155.83	194.03	243.32
Elbow 45° (Not inc. Locking Band)	01322	111.05	125.73	135.29	02322	144.58	155.83	194.03	243.32
Draught Stabiliser(requires 194 Adaptor)	31920	175.17	185.94	194.32	31920	207.87	251.48	258.27	299.98
<b>SUPPORT COMPONENTS</b>									
Telescopic Floor Support (Short)	01026	94.18	101.72	109.89	02026	112.30	114.95	114.95	137.98
Wall Support (Galv)	01998	62.63	69.76	76.90	02998	77.40	92.15	108.63	141.66
Wall Support (S/S)	01517	124.15	140.02	164.28	02517	184.46	224.50	259.19	272.80
Trim Collar	01085	15.52	16.67	25.13	02085	25.72	26.38	28.50	31.21
Bracing Bracket	01098	19.84	21.19	22.51	02098	24.71	25.66	27.35	28.52
Roof Support	0102900	57.36	57.36	57.36	0102900	57.36	57.36	57.36	57.36
Anchor Support Plate	01541	43.84	49.04	55.81	02541	61.99	68.27	74.11	98.94
Guy Wire Bracket	01092	14.41	15.56	17.22	02092	19.16	22.10	23.15	24.17
<b>Penetration Components (Gas &amp; Oil &lt;250°C)</b>									
Ceiling Support	01027	32.03	35.64	42.63	02027	64.20	76.90	87.88	104.74
Firestop Spacer	01087	6.25	6.95	7.85	02087	9.31	10.07	12.14	22.06
<b>Penetration Components (Solid Fuel &amp; Oil &gt;250°C)</b>									
Ventilated Firestop	01887	61.51	67.50	77.24	02887	90.00	118.49	-	-
Ventilated Ceiling Support (For black finish add `ZB` and for white finish add `ZW` after the complete part no.)	01727	106.49	112.25	123.75	02727	125.23	139.00	-	-
Intumescent Sealant (310ml)	0199900	10.69							
<b>Horizontal Code</b>									
		05	06	07		08	10	12	14
<b>UNIVERSAL WALL BANDS</b>									
Internal (Galvanised Steel)	3116	21.84	22.17	22.49		22.81	23.34	24.22	25.10
External (Stainless Steel)	3115	26.23	26.99	27.79		28.47	31.94	33.95	35.96
<b>Horizontal Code</b>									
		155	205	234		255	305	355	405
<b>TERMINALS &amp; FLASHINGS</b>									
Top Stub	01173	45.94	47.86	50.02	02173	60.90	66.40	82.40	96.12
Rain Cap	01074	39.22	40.90	45.60	02074	56.40	77.20	104.41	135.92
Round Top	01075	84.51	92.54	106.51	02075	127.01	151.59	199.01	261.38
Coping Top	01070	42.74	44.70	49.75	02070	61.58	77.20	104.41	135.92
Gas Vent Terminal	01524	50.99	56.70	64.51	02524	75.97	98.04	123.54	144.15
<b>Horizontal Code</b>									
		05	06	07		08	10	12	14
Flat Flashing	700000	33.98	35.89	40.39		42.91	58.86	62.79	67.53
Adjustable Flashing 5° - 30°	700530	33.98	35.89	40.39		42.91	58.86	62.79	67.53
Adjustable Flashing 32° - 45°	703245	40.39	42.91	55.53		58.06	72.34	83.30	102.10
Storm Collar(Supplied with Sealant)	701234	17.04	18.22	20.83		22.09	25.24	28.27	29.80
<b>Horizontal Code</b>									
		07	09	10		11	12	13	14
Seldek Flashing No.1(to suit 55mm - 150mm external diameter)	4901015	33.95							
Seldek Flashing No.2(to suit 110mm - 200mm external diameter)	4901020	47.30							
Seldek Flashing No.3(to suit 160mm - 300mm external diameter)	4901030	88.54							
Seldek Flashing No.4(to suit 300mm - 450mm external diameter)	4901045	138.26							

Note: A Locking band MUST be ordered separately for each joint

Please give Product Codes when ordering. To arrive at Product Code combine Vertical Code with Horizontal Code  
eg. Length 1000mm, size 152mm, Vertical Code 01409, Horizontal Code 06, PRODUCT CODE 0140906



0086 - CPD - 496040



Please refer to the "Branches" page of the flues-chimneys.com web site to telephone your nearest MMF branch.

[Click Here](#)



# SMW 400 mm - 600 mm

## STAINLESS STEEL INNER, 25 mm INSULATION, STAINLESS STEEL OUTER OIL & GAS CHIMNEY SYSTEM

DESCRIPTION	CODE Vertical	400 mm 16"	450 mm 18"	500 mm 20"	550 mm 22"	600 mm 24"
-------------	------------------	---------------	---------------	---------------	---------------	---------------

### STARTING COMPONENTS

Adaptor	24194	58.50	62.46	66.31	77.12	92.69
---------	-------	-------	-------	-------	-------	-------

### LENGTHS

Locking Bands (Supplied with all insulated components)	24186	37.31	41.10	45.07	48.61	52.41
Structural Locking Band	24509	97.02	101.99	108.72	134.90	168.44
Length 1000 mm	24103	475.45	507.80	550.64	606.52	635.91
Length 500 mm	24111	270.00	313.77	337.33	372.86	384.21
Length 300 mm	24112	202.69	233.37	249.37	276.29	306.07
Adjustable Length - 500 mm	24115	476.66	509.10	555.02	605.99	632.92
Inspection Length - Short Door	24114	611.07	625.43	686.24	716.41	726.14
Probe Length	24117	778.15	793.71	859.24	891.70	902.20

### TEES/ELBOWS

90° Tee (inc. Locking Plug)	24143	796.33	825.16	936.88	1006.70	1043.53
135° Tee (inc. Locking Plug)	24144	1130.21	1221.96	1428.52	1461.70	1540.27
Modular Tee		Price on Application				
Drain Tee Cap	24131	172.01	177.92	182.23	186.91	192.10
Tee Cap	24145	119.95	125.04	128.92	131.25	139.71
Insulated Elbow 30°	24123	402.88	418.17	446.70	488.23	495.70
Insulated Elbow 45°	24122	402.88	418.17	446.70	488.23	495.70
Draught Stabiliser( Requires 194 Adaptor)	31920	480.77	549.45	618.13	669.63	721.15

### SUPPORT COMPONENTS

Ceiling Support	24132	549.30	581.00	613.31	671.38	682.84
Support Plate (Stainless Steel)	24033	432.88	471.00	509.12	547.30	585.40
Support Plate (Galvanised)	24040	192.28	215.21	243.03	265.99	291.67
Wall Support Brackets (Stainless Steel)	24099	333.19	357.74	382.87	395.50	426.30
Wall Support Brackets (Galvanised)	24097	71.97	77.73	83.71	86.71	89.70
Roof Support Assembly	0102900	61.95				
Wall Band	24067	64.16	74.53	89.53	93.85	99.21
Wall Support Assembly (Stainless Steel)	24042	984.37	1028.18	1106.58	1210.53	1255.03
Wall Support Assembly (Galvanised)	24028	492.19	514.10	553.31	605.26	627.53
Anchor Plate With Drain	24089	986.10	1100.49	1125.67	1244.25	1400.81
Guy Wire Bracket	24092	27.24	28.77	30.23	36.44	42.61

### TERMINALS & FLASHINGS

Insulated Top Stub	24173	223.19	233.06	272.23	283.28	290.97
Rain Cap (POA for 50mm & 75mm As Design Differs)	24074	157.32	158.13	170.31	182.50	194.62

CODE - Horizontal		16	18	20	22	24
-------------------	--	----	----	----	----	----

Flat Flashing	700000	137.67	146.61	159.90	170.92	178.27
Adjustable Flashing 5° - 30°	700530	145.93	148.88	170.70	185.62	192.96
Adjustable Flashing 32° - 45°	703245	162.30	170.92	198.34	220.53	255.36
Storm Collar(Supplied with Sealant)	701234	99.71	103.39	107.43	125.89	140.92
CODE - Horizontal		15	16	17	18	19

Please give product Codes when ordering. To arrive at Product Codes combine the Vertical Code with the Horizontal Code  
e.g. Length 1000mm, 400mm Diameter, Vertical Code 24103, Horizontal Code 16, Product Code 2410316

This price list relates to SMW manufactured in standard material specification as detailed above.

# SUPRA 1.0mm

UK PRICE LIST  
1ST JULY 2010  
(GBP)

## SINGLE SKIN, 316 (1.4404) STAINLESS STEEL

BS EN 1856-1 T450 N1 D V2 L50100 O(300)

BS EN 1856-1 T200 P1 W V2 L50100 O(300) - Seals Fitted, BS EN 1856-1 T450 N1 D V2 L50100 G(300)

BS EN 1856-2 T200 N1 W V2 L50100 O - Seals Fitted, BS EN 1856-2 T450 N1 D V2 L50100 G

## MULTI FUNCTIONAL FLUE SYSTEM (Including Condensing Appliances)

DESCRIPTION	CODE Vertical	180mm	200mm	250mm	300mm	350mm	400mm	500mm	600mm
<b>LENGTHS</b>									
Locking Band	40270	5.01	5.10	6.86	7.69	8.33	8.73	9.43	10.94
Joint Seal (Required for P1)	40063	2.44	2.62	3.08	3.29	3.61	3.88	4.58	5.28
Length 1000 mm	40201	147.52	161.75	196.03	231.56	265.10	330.86	407.54	480.55
Length 500 mm	40202	87.13	94.33	111.93	128.67	145.46	164.37	199.97	233.68
Length 200 mm	40203	56.33	59.93	68.73	77.13	85.53	94.96	109.93	126.78
Adjustable Length	40244	68.85	73.36	84.56	95.76	106.90	118.10	140.44	225.34
Lockband and Seal for Adjustable Length (Required for P1)	40072	36.22	41.14	44.28	42.85	45.94	48.91	54.96	62.45
Inspection Length	40210	79.82	84.39	95.59	106.67	117.87	129.01	151.41	173.80
Step Reducer	40226	55.65	59.58	111.25	112.62	115.24			POA
Step Increaser	40230	58.85	97.01	111.93	114.95	109.35			POA
<b>TEES/ELBOWS</b>									
Elbow - 15°	40225	49.70	58.62	63.50	70.86	76.56	94.29	103.86	127.90
Elbow - 30°	40224	49.70	58.62	63.50	70.86	76.56	94.29	103.86	127.90
Elbow - 40°	40298	49.70	58.62	63.50	70.86	76.56	94.29	103.86	127.90
Elbow - 45°	40223	49.70	58.62	63.50	70.86	76.56	94.29	103.86	127.90
Elbow - 85°	40227	98.38	103.53	117.13	126.00	135.43	147.09	163.95	190.43
Elbow - 90°	40228	98.38	103.53	117.13	126.00	135.43	147.09	163.95	190.43
135° Tee	40252	55.82	59.25	82.56	89.99	101.13			NA
95° Tee	40222	260.76	273.61	360.69	533.17	620.59	712.86	922.37	1141.82
90° Tee	40219	92.04	121.07	151.46	293.95	331.21	534.32	641.21	847.87
Locking Plug	40205	92.04	121.07	151.46	293.95	331.21	534.32	641.21	847.87
Condensate Collector	40249	34.97	36.51	51.99	55.76	65.25	111.64	157.40	275.61
Appliance Connector	40243	74.96	82.56	89.53	93.24	102.73	143.81	189.57	316.98
Appliance Connector with Condense Trap	40290	39.82	42.56	49.25	54.56	61.25	64.08	69.112	77.3588
<b>SUPPORT COMPONENTS</b>	40291	75.47	81.19	87.76	93.41	103.47	114.50	136.44	146.83
Support Length									
Support Plate (Stainless Steel)	40204	81.18	84.21	91.63	96.52	103.94	111.36	126.14	141.02
Wall Support	40511	54.88	65.67	85.62	89.57	99.46	129.42	176.31	223.91
Bracing Bracket	40512	76.84	81.84	83.49	85.14	92.11	94.22	97.56	103.43
Location band (Bubble Guide)	40692	36.02	37.24	38.57	38.99	46.56	48.40	51.11	53.98
CODE - Horizontal	40171	POA	POA	POA	POA	POA	POA	POA	POA
		18	20	25	30	35	40	50	60
<b>Wall Band (Universal S/S)</b>									
Wall Band (S/S)	3115	26.39	26.99	28.47	31.94	33.95	35.97	-	-
CODE - Horizontal		185	205	255	305	355	405		
CODE - Horizontal	40288	-	-	-	-	-	-	45.58	57.24
<b>TERMINALS &amp; FLASHINGS</b>								50	60
Supra Terminal Kit									
Rain Cap	40054	231.80	233.13	251.16	269.19	310.35	321.08	501.61	536.26
Top Stub c/w Mesh	40552	86.15	94.00	120.01	173.32	193.99	198.96	201.69	204.28
Gas Terminal	40554	57.52	68.95	75.32	88.45	101.11	114.51	140.51	160.51
CODE - Horizontal	40061	115.29	117.72	146.50	216.84	340.59	465.91	985.67	1005.18
		18	20	25	30	35	40	50	60
Flat Flashing									
Adjustable Flashing 5° - 30°	70000	33.98	26.27	42.91	58.86	62.79	67.53	135.74	158.26
Adjustable Flashing 32° - 45°	700503	33.98	26.27	42.91	58.86	62.79	97.44	137.85	171.87
Storm Collar(Supplied with Sealant)	703245	40.39	31.99	58.06	72.33	83.31	102.10	158.26	204.19
CODE - Horizontal	701234	17.04	11.10	22.09	25.24	28.27	29.80	96.29	116.56
		07	08	11	12	13	14	16	18
Seldek Flashing No.2(to suit 110mm - 200mm external diameter)									
Seldek Flashing No.3(to suit 160mm - 300mm external diameter)	4901020					45.05			
Seldek Flashing No.4(to suit 300mm - 450mm external diameter)	4901030					84.33			
	4901045					131.68			



0086 - CPD - 496040

Please give Product Codes when ordering. To arrive at a Product Code, combine Vertical Code with Horizontal Code eg. Length 1000mm, Diameter 450mm, Vertical Code 40201, Horizontal Code 18. Product Code is 4020118



Please refer to the "Branches" page of the [flues-chimneys.com](http://flues-chimneys.com) web site to telephone your nearest MMF branch.

[Click Here](#)



**SINGLE WALL, GRADE 316 (1.4404) STAINLESS STEEL**  
Suitable for use on condensing appliances with flue gas temperatures up to 200°C  
BS EN 1856-1 T200 P1 W V2 L50046 O(50)

DESCRIPTION	CODE Vertical	80mm	100mm	113mm	130mm	150mm	180mm	200mm	250mm	300mm	350mm
<b>LENGTHS</b>											
Locking Band (60-200ID)	40170	4.17	4.30	4.42	4.53	4.62	5.01	5.10	-	-	-
Locking Band (250-350ID)	40270	-	-	-	-	-	-	-	6.86	7.69	8.33
Length 1000 mm	40101	28.81	31.46	38.46	43.52	49.57	69.12	74.92	89.47	104.95	118.82
Length 500 mm	40102	20.55	19.83	23.28	25.84	28.98	44.76	47.90	54.92	62.91	70.04
Length 200 mm	40103	15.93	13.47	15.12	16.42	18.09	32.18	33.59	37.38	41.77	45.53
Adjustable Length Inc. Locking Band & Seal (75mm - 230mm)	40144	40.71	42.78	45.29	51.78	59.74	65.17	72.69	84.36	90.72	97.64
Inspection Length (80mm - 350mm)	40110	49.52	50.55	52.38	54.98	63.75	66.35	68.99	74.44	76.92	78.45
<b>TEES/ELBOWS</b>											
Elbow - 15°	40125	31.35	31.38	33.70	34.76	37.23	41.52	43.24	45.14	51.78	52.69
Elbow - 30°	40124	31.35	31.38	33.70	34.76	37.23	41.52	43.24	45.14	51.78	52.69
Elbow 40°	40198	31.35	31.38	33.70	34.76	37.23	41.52	43.24	45.14	51.78	52.69
Elbow - 45°	40123	31.35	31.38	33.70	34.76	37.23	41.52	43.24	45.14	51.78	52.69
Elbow - 85°	40127	45.56	50.01	56.46	61.77	63.71	71.69	78.06	85.25	100.70	115.26
Elbow - 90°	40128	45.56	50.01	56.46	61.77	63.71	71.69	78.06	85.25	100.70	115.26
135° Tee	40122	129.90	135.50	137.48	143.63	152.73	175.18	193.04	252.85	311.50	361.79
95° Tee	40119	52.86	49.19	51.18	54.12	62.37	70.14	83.67	104.36	196.99	209.55
90° Tee	40105	52.86	48.06	50.85	53.25	56.33	59.58	70.65	82.58	194.67	203.10
Locking Plug	40149	46.84	44.14	45.49	47.23	50.00	-	-	-	-	-
Locking Plug	40249	-	-	-	-	-	34.97	36.51	45.85	51.99	65.24
Condensate Collector	40143	44.65	47.76	49.97	51.19	53.33	-	-	-	-	-
Condensate Collector	40243	-	-	-	-	-	74.96	82.56	89.52	93.24	102.72
Horizontal Duct Drain ( With End Blanking Cap )	40118	-	64.62	66.29	67.95	71.33	74.29	77.24	85.67	96.81	98.24
Horizontal Duct Drain ( Without End Blanking Cap )	40108	-	57.05	58.83	60.00	61.57	63.33	65.52	68.86	71.48	74.10
<b>Horizontal Code</b>		<b>08</b>	<b>10</b>	<b>11</b>	<b>13</b>	<b>15</b>	<b>18</b>	<b>20</b>	<b>25</b>	<b>30</b>	<b>35</b>
<b>Adaptors</b>											
Supra to Nova Adaptor	45796	-	39.61	-	43.08	47.12	54.02	59.55	60.35	63.32	72.07
Nova to Supra Adaptor	45797	-	42.13	-	47.61	51.15	57.91	61.91	67.32	75.93	82.03
<b>Horizontal Code</b>			<b>04N</b>		<b>05N</b>	<b>06N</b>	<b>07N</b>	<b>08N</b>	<b>10N</b>	<b>12N</b>	<b>14N</b>
Appliance Adaptor With Drain	40114	42.43	44.94	46.74	48.49	50.35	52.33	54.20	80.98	88.69	96.30
Adaptor to Flex	40159	-	29.05	-	30.25	33.50	-	-	-	-	-
Adaptor to Flex	40259	-	-	-	-	-	37.51	41.80	-	-	-
Appliance Connector	40193	22.09	22.53	22.65	22.72	22.90	23.21	23.40	23.84	24.26	24.64
<b>SUPPORT COMPONENTS</b>											
Support Length	40104	25.64	26.92	27.92	29.09	30.61	47.76	49.29	58.50	62.28	66.04
Support Plate	40511	28.38	35.48	40.09	45.49	49.96	54.88	65.67	85.62	89.57	99.46
Wall Support	40512	-	56.34	57.81	58.04	59.80	76.84	81.84	83.49	85.14	92.11
Bracing Bracket	40692	29.39	29.59	29.70	29.87	30.09	36.02	37.24	38.57	38.99	46.56
Location band	40171	14.81	15.75	15.91	16.17	16.39	-	-	-	-	-
<b>Horizontal Code</b>		<b>08</b>	<b>10</b>	<b>11</b>	<b>13</b>	<b>15</b>	<b>18</b>	<b>20</b>	<b>25</b>	<b>30</b>	<b>35</b>
Wall Band - Stainless Steel	3115	20.59	21.15	23.41	23.92	25.51	26.39	26.99	28.47	31.94	33.95
<b>Horizontal Code</b>		<b>084</b>	<b>104</b>	<b>114</b>	<b>134</b>	<b>154</b>	<b>185</b>	<b>205</b>	<b>255</b>	<b>305</b>	<b>355</b>
<b>TERMINALS &amp; FLASHINGS</b>											
Supra Terminal Kit	40054	124.53	136.37	140.19	145.17	148.73	231.80	233.13	251.16	269.19	321.08
Rain Cap	40552	63.52	67.63	70.26	70.67	76.58	86.15	94.00	120.01	173.32	198.96
Tapered Top Stub	40158	22.89	24.66	26.32	28.69	34.94	-	60.95	-	-	-
Tapered Top Stub With Mesh	40160	31.13	35.35	41.57	41.57	56.98	78.80	80.63	96.00	114.15	166.48
Gas Terminal	40061	97.43	99.38	100.12	101.07	105.13	115.29	133.99	156.02	203.86	220.86
<b>Horizontal Code</b>		<b>08</b>	<b>10</b>	<b>11</b>	<b>13</b>	<b>15</b>	<b>18</b>	<b>20</b>	<b>25</b>	<b>30</b>	<b>35</b>
Flat Flashing	700000	-	29.59	30.38	30.74	32.84	33.98	35.89	42.91	58.86	62.79
Adjustable Flashing 5° - 30°	700530	-	29.59	30.38	30.74	32.84	33.98	35.89	42.91	58.86	62.79
Adjustable Flashing 32° - 45°	703245	-	29.60	30.38	38.14	39.13	40.39	42.91	58.06	72.34	83.30
Storm Collar(Supplied with Sealant)	701234	-	15.15	16.10	16.10	16.41	17.04	18.22	22.09	25.24	28.27
<b>Horizontal Code</b>		<b>08</b>	<b>01</b>	<b>04</b>	<b>05</b>	<b>06</b>	<b>07</b>	<b>09</b>	<b>11</b>	<b>12</b>	<b>13</b>
<b>SELDEK FLASHINGS</b>											
Seldek Flashing No.1(to suit 55mm - 150mm external diameter)	4901015	33.95	-	-	-	-	-	-	-	-	-
Seldek Flashing No.2(to suit 110mm - 200mm external diameter)	4901020	47.30	-	-	-	-	-	-	-	-	-
Seldek Flashing No.3(to suit 160mm - 300mm external diameter)	4901030	88.54	-	-	-	-	-	-	-	-	-
Seldek Flashing No.4(to suit 300mm - 450mm external diameter)	4901045	138.26	-	-	-	-	-	-	-	-	-

Note: A Locking band MUST be ordered separately for each joint

All components are supplied with factory fitted bonded seals as standard.  
Adjustable length supplied complete with locking band and seal  
All prices are excluding VAT  
Non-standard components can be manufactured upon request. All non-standard component are POA and subject to a dimensioned customer drawing being forwarded to our Customer Services Dept.

Please give Product Codes when ordering. To arrive at a Product Code, combine Vertical Code with Horizontal Code eg. Length 1000mm, Diameter 130mm, Vertical Code 40101, Horizontal Code 13. Product Code is 4010113



Please refer to the "Branches" page of the flues-chimneys.com web site to telephone your nearest MMF branch.  
[Click Here](#)



**SINGLE WALL, GRADE 316 (1.4404) STAINLESS STEEL**  
Suitable for use on condensing appliances with flue gas temperatures up to 200°C  
BS EN 1856-1 T200 P1 W V2 L50046 O(50)

Supra Eccentric Increases		
80 - 150mm	4070608	66.17
100 - 150mm	4070610	67.20
113 - 200mm	4070611	71.49
150 - 200mm	4070615	73.37
200 - 300mm	4070620	81.60
250 - 350mm	4070625	87.54

Reducers	Code	List
100mm - 80mm	4012610	30.94
113mm - 80mm	4012911	42.16
113mm - 100mm	4012611	36.46
130mm - 113mm	4012613	41.97
150mm - 130mm	4012615	47.47
180mm - 150mm	4012618	52.99
200mm - 180mm	4012620	58.49
250mm - 200mm	4012625	63.99
300mm - 250mm	4012630	69.48
350mm - 300mm	4012635	74.99

Increases	Code	List
80mm - 100mm	4013008	22.89
80mm - 113mm	4012908	42.16
100mm - 113mm	4013010	25.06
113mm - 130mm	4013011	25.87
130mm - 150mm	4013013	26.83
150mm - 180mm	4013015	28.46
180mm - 200mm	4013018	30.21
200mm - 250mm	4013020	31.83
250mm - 300mm	4013025	69.00
300mm - 350mm	4013030	71.67
350mm - 400mm	4013035	77.21

**Note: A Locking band MUST be ordered separately for each joint**

All components are supplied with factory fitted bonded seals as standard.  
Adjustable length supplied complete with locking band and seal

All prices are excluding VAT  
Non-standard components can be manufactured upon request. All non-standard component are POA  
and subject to a dimensioned customer drawing being forwarded to our Customer Services Dept.

Please give Product Codes when ordering. To arrive at a Product Code,  
combine Vertical Code with Horizontal Code eg. Length 1000mm,  
Diameter 130mm, Vertical Code 40101, Horizontal Code 13. Product  
Code is 4010113



Please refer to the "Branches" page of the [flues-chimneys.com](http://flues-chimneys.com)  
web site to telephone your nearest MMF branch.

[Click Here](#)

